


JUSTSEALIT.COM.AU

ORDERS 1300 781 652



CRAFTED BY  
MATT NASH  
*Matt Nash*

**PREMIUM GRADE NATURAL  
IMPREGNATING SEALANTS.**

Blending our passion for surfaces with industry leading technology to ensure surfaces retain their raw, natural form.

# ARCHITECTURAL SPECIFICATION SHEET

#JUSTSEALIT SEALANTS

**PRESTIGE  
SURFACES**

**JUST  
SEALIT**

# SERIOUS PROTECTION

LABORATORY TESTS HAVE SHOWN A SIGNIFICANT REDUCTION IN THE DETERIORATION OF SURFACES TREATED WITH #JUSTSEALIT.


CLASSIC



## EXCELLENT DEPTH OF PROTECTION

Treated surfaces are more durable, easier to maintain and possess an increased ability to withstand moisture related problems.

#JUSTSEALIT penetrates deep into a porous material, physically altering the surface tension. A permanent chemical bond is formed after 30 days resulting in a hardier and more durable surface.




CLASSIC



## PREVENT CORROSION

Corrosion can occur on untreated natural stone, tile, concrete and grout by being exposed to various environmental elements.

Damage can be caused by mould/mildew, efflorescence, salts in pool water or even just slightly acidic PH rain water. Application of #JUSTSEALIT will reduce or eliminate the impacts of corrosion.




CLASSIC



## PREVENT EFFLORESCENCE

Efflorescence presents as an unsightly white powdery salt haze, and can cause permanent damage to a porous material if not addressed.

It is a common occurrence in both natural and man-made stone, but can be significantly reduced or even prevented by treating with #JUSTSEALIT sealants.



PREVENT EFFLORESCENCE WITH #JUSTSEALIT



#JUSTSEALIT

# SEALANTS

## CLASSIC

Ultimate Protection



## PLUS

Fortified Formula



## SHIELD

Stain Repellant



## THE DIFFERENCE IS IN THE PROOF

Created using industry leading technology and laboratory tested in a controlled environment - don't just take our word for it - it's scientifically proven.

Prestige Surfaces didn't set out to create a sealant 15 years ago, it was created from pure need. When we failed to find a sealant on the market that measured up to the high standards of our service, we decided to create one ourselves.

The result is a product that increases the durability of surfaces in a safe way, allowing the true beauty of the material to remain.

## APPLICATIONS



### Exterior

- Natural Stone Paving
- Concrete Paving
- Pool Coping

### Interior

- Natural Stone and Concrete
- Bench Tops
- Shower Base


### Dip Sealing & Pre Sealing

All natural stone, tile and concrete surfaces externally, internally and where the desired outcome is to retain the natural characteristics of the treated material. Suitable for, and highly recommended for pre sealing and dip sealing applications.

## SUITABLE FOR

- |             |              |                        |
|-------------|--------------|------------------------|
| • Bluestone | • Tile       | • Terrazzo             |
| • Concrete  | • Granite    | • Clay                 |
| • Sandstone | • Slate      | • Porcelain (Unglazed) |
| • Limestone | • Grout      |                        |
| • Basalt    | • Travertine |                        |
| • Brick     | • Terracotta |                        |

# CLASSIC



**#JUSTSEALIT CLASSIC** ensures optimum protection, ease of maintenance and longevity for treated substrates. It provides a fully breathable, invisible protective barrier using leading aqueous-based technologies, and will not alter the colour, texture or slip rating of the treated material ensuring a completely natural finish.

**Scientifically proven to enhance the durability of treated surfaces by 80%.**

## BEST SUITED FOR:

Best suited for outdoor applications, providing protection against corrosive elements like pool water and coastal air. For additional oil-based stain protection, apply #JUSTSEALIT Shield after curing.


## BENEFITS INCLUDE:

Increases durability, longevity and ease of maintenance for natural stone and concrete surfaces.

- Bluestone
- Concrete
- Sandstone
- Limestone
- Basalt
- Brick
- Tile
- Granite
- Slate
- Grout
- Travertine
- Terracotta
- Terrazzo
- Clay
- Porcelain (Unglazed)



# PLUS FORTIFIED FORMULA



**#JUSTSEALIT PLUS** ensures ultimate protection, enhanced durability, and ease of maintenance for treated surfaces. It offers invisible, full breathability, and high resistance to stains, weathering, and corrosion, providing long-lasting protection without altering the natural appearance of natural surfaces.

**Scientifically proven to enhance the durability of treated surfaces by 98%.**

## BEST SUITED FOR:

A premium solution for outdoor applications, providing protection against harsh corrosive elements like pool water and coastal air. For additional oil-based stain protection, apply #JUSTSEALIT Shield after curing.

## BENEFITS INCLUDE:

Increases durability, resistance to environmental factors, and ease of maintenance for natural stone and concrete surfaces.

- Bluestone
- Concrete
- Sandstone
- Limestone
- Basalt
- Brick
- Tile
- Granite
- Slate
- Grout
- Travertine
- Terracotta
- Terrazzo
- Clay
- Porcelain (Unglazed)





# SHIELD STAIN REPELLENT



- PROTECTS AGAINST OIL & WATER
- EXTERIOR GRADE
- STAIN REPELLENT
- FULLY BREATHABLE
- WATER BASED
- LABORATORY TESTED
- INVISIBLE



**#JUSTSEALIT SHIELD** provides superior protection, easy maintenance, and long-term durability for treated surfaces. It offers full breathability and high resistance to oil and waterborne stains, ensuring a natural finish while protecting against common contaminants.

- Bluestone
- Concrete
- Sandstone
- Limestone
- Basalt
- Brick
- Tile
- Granite
- Slate
- Grout
- Travertine
- Terracotta
- Terrazzo
- Clay
- Porcelain (Unglazed)

**Scientifically proven to protect against oil and waterborne stains while maintaining surface breathability.**

### BEST SUITED FOR:

Recommended for areas requiring added protection against oil-based stains, such as kitchen benchtops or high-traffic areas. It can be used over Classic or Plus sealants for maximum durability.

### BENEFITS INCLUDE:

Enhanced stain resistance, ease of maintenance, and long-lasting protection for natural stone and concrete surfaces.

## COVERAGE

PER LITRE

SURFACE TYPE	POLISHED	HONED	TEXTURED
Marble	20-25m <sup>2</sup>	12-15m <sup>2</sup>	8-12m <sup>2</sup>
Limestone Tiles	18-22m <sup>2</sup>	8-12m <sup>2</sup>	6-8m <sup>2</sup>
Limestone Masonry/Blocks	N / A	6-8m <sup>2</sup>	2-5m <sup>2</sup>
Travertine Honed & Filled	18-22m <sup>2</sup>	12-15m <sup>2</sup>	N / A
Travertine Honed & Unfilled	N / A	8-10m <sup>2</sup>	4-6m <sup>2</sup>
Granite	20-25m <sup>2</sup>	12-15m <sup>2</sup>	8-12m <sup>2</sup>
Basalt/Bluestone	18-22m <sup>2</sup>	12-15m <sup>2</sup>	9-11m <sup>2</sup>
Sandstone	N / A	5-8m <sup>2</sup>	7-9m <sup>2</sup>
Slate	N / A	14-18m <sup>2</sup>	8-12m <sup>2</sup>
Concrete (standard grey)	18-22m <sup>2</sup>	8-12m <sup>2</sup>	6-8m <sup>2</sup>
Concrete (exposed agg)	N / A	N / A	7-10m <sup>2</sup>
Terrazzo	20-25m <sup>2</sup>	12-15m <sup>2</sup>	N / A
Terracotta (aust.)	N / A	N / A	7-9m <sup>2</sup>
Terracotta (imported)	N / A	N / A	5-8m <sup>2</sup>
Porcelain (natural)	N / A	N / A	10-14m <sup>2</sup>
Porcelain (glazed)	20-25m <sup>2</sup>	N / A	N / A
Grout (LM-3mm wide)	N / A	N / A	600-1200LM

# PRODUCT USE

## APPLICATION METHOD

### / Preparation

Ensure material to be treated is clean and bone dry.

### / Application

Apply one wet on wet coat (two coats applied at once). Apply sealer left to right then immediately apply sealant in opposite direction - with low pressure sprayer and / or lambswool applicator, ensure there is no excess or pooling evident.

An additional coat may be applied to ensure complete coverage. Apply when surface temperature is between 10-30 degrees celsius. Product to be used undiluted. It is recommended this product is used within 7 days after opening.


### / Safety / Cautions

- It is the responsibility of the user to determine this product suitability and intended purpose.
- Always test product in inconspicuous area and allow 24 hours to ensure desired results are achieved prior to treating entire surface.
- This product will not prevent acid etching.

## PASSION MEETS PERFORMANCE

Our unrivaled **#JUSTSEALIT** product range, meticulously crafted with passion by Director Matt Nash, sets the standard for all your surface sealant needs.

CRAFTED BY  
MATT NASH



On behalf of Prestige Surfaces and the amazing gurus we have on board ensuring that absolutely no stone goes unsealed, I would like to thank you for considering us to protect your surfaces.

Thanking you,



**Matt Nash**  
Prestige Surfaces



## BREATHABLE SEALANTS FOR THE PROTECTION OF NATURAL SURFACES

In the fifteen years since it was created, **#JUSTSEALIT** has been put to the test, and has excelled. It is now used widely across Australia on multi-million dollar buildings where the best protection is required.



"If you believe your product can fulfill a true need, it's your moral obligation to sell it."

ZIG ZIGLAR



ORDERS 1300 781 652

JUSTSEALIT.COM.AU

**PRESTIGE SURFACES**<sup>®</sup>

**JUST SEALIT**<sup>®</sup>